

Prepared for:

Fulton Brewing

2540 2nd Street NE

Minneapolis, MN USA 55418


CLR-T-1803

Batch ID or Lot Number: CLR-T-1802	Test: Potency	Reported: 21Jul2023	USDA License: N/A
Matrix: Unit	Test ID: T000249582	Started: 21Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 20Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.163	0.477	ND	ND	# of Servings = 1, Sample Weight=366.53g
Cannabichromenic Acid (CBCA)	0.149	0.436	ND	ND	
Cannabidiol (CBD)	0.562	1.285	ND	ND	
Cannabidiolic Acid (CBDA)	0.576	1.318	ND	ND	
Cannabidivarin (CBDV)	0.133	0.304	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.240	0.550	ND	ND	
Cannabigerol (CBG)	0.092	0.271	0.380	0.00	
Cannabigerolic Acid (CBGA)	0.386	1.131	ND	ND	
Cannabinol (CBN)	0.120	0.353	0.510	0.00	
Cannabinolic Acid (CBNA)	0.263	0.772	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.460	1.348	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.418	1.224	9.430	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.370	1.085	ND	ND	
Tetrahydrocannabivarin (THCV)	0.084	0.246	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.326	0.957	ND	ND	
Total Cannabinoids			10.320	0.00	
Total Potential THC			9.430	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
21Jul2023
03:49:00 PM MDT

PREPARED BY / DATE



Sam Smith
21Jul2023
03:50:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/7ee1594f-e858-4b75-8a4e-c5ad03e63a2e>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

7ee1594fe8584b758a4ec5ad03e63a2e.1