

Prepared for:

Fulton Brewing

2540 2nd Street NE

Minneapolis, MN USA 55418

CLRTY-BR-1855

Batch ID or Lot Number: CLRTY-BR-1855	Test: Potency	Reported: 19Sep2023	USDA License: N/A
Matrix: Unit	Test ID: T000256301	Started: 19Sep2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 18Sep2023	Status: N/A

Cannabinoids


	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.162	0.517	ND	ND	# of Servings = 1, Sample Weight=368.48g
Cannabichromenic Acid (CBCA)	0.148	0.473	ND	ND	
Cannabidiol (CBD)	0.509	1.375	ND	ND	
Cannabidiolic Acid (CBDA)	0.523	1.411	ND	ND	
Cannabidivarin (CBDV)	0.120	0.325	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.218	0.588	ND	ND	
Cannabigerol (CBG)	0.092	0.293	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.384	1.227	ND	ND	
Cannabinol (CBN)	0.120	0.383	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.262	0.837	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.458	1.461	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.416	1.327	5.020	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.369	1.176	ND	ND	
Tetrahydrocannabivarin (THCV)	0.084	0.267	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.325	1.037	ND	ND	
Total Cannabinoids			5.020	0.00	
Total Potential THC			5.020	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
19Sep2023
02:09:00 PM MDT

PREPARED BY / DATE



Sam Smith
19Sep2023
02:12:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/0db3ba20-7ff2-4362-a5dc-c053cb61d3bb>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
0db3ba207ff24362a5dcc053cb61d3bb.1