



Customer: Centre Manufacturing LLC
Address: 9809 Hamilton Road, Eden
Prairie, MN 55344
Sample Name: CLRTY Splash THC Mixer 10mg
THC Lot #4E21
Matrix: Edible
Lab Number: 24110074-1

Test Conditions: 19°C
Extraction Technician: CB
Analytical Chemist: CB

Cannabinoid Profile

Extraction Date	Analysis Date
11/18/24	11/19/24

Test Method: Cannabinoid Potency by HPLC		Results		
Compound	LOD (mg/mL)	%	mg/mL	mg/Bottle
Cannabichromene (CBC)	<0.023	N.D.	N.D.	N.D.
Cannabidiol (CBD)	<0.023	N.D.	N.D.	N.D.
Cannabidiolic Acid (CBD-A)	<0.023	N.D.	N.D.	N.D.
Cannabidivarin (CBDV)	<0.023	N.D.	N.D.	N.D.
Cannabigerol (CBG)	<0.023	N.D.	N.D.	N.D.
Cannabigerolic Acid (CBG-A)	<0.023	N.D.	N.D.	N.D.
Cannabinol (CBN)	<0.023	N.D.	N.D.	N.D.
Tetrahydrocannabivarin (THCV)	<0.023	N.D.	N.D.	N.D.
delta 8-Tetrahydrocannabinol	<0.045	N.D.	N.D.	N.D.
delta 9-Tetrahydrocannabinol (THC)	<0.023	0.098	0.980	9.801
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.023	N.D.	N.D.	N.D.
Cannabinoids Total		%	mg/mL	
Max Active THC (delta-9-tetrahydrocannabinol)		0.098	0.980	
Max Active Cannabidiol (CBD)		N.D.	N.D.	
Total Cannabinoids		0.098	0.980	

Following USDA Guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/-5% for all cannabinoids using a coverage factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection.

Density	1.0392g/mL
Total volume per Bottle (mL)	10

Change Request (111924): Lot number changed from 3K19 to 4E21.

Approved By: CQ

GARY BROOK

Gary Brook - Laboratory Director - 11/19/24

The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values. Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity. Pesticide, metal, and microbial analyses are subcontracted to ISO 17025 laboratories.